


addition, Applicant requests that the Office of the LIE withdraw its second Notice of Non-Compliant Amendment to permit the reinstatement and issuance of the Application.

Further it is requested that the Office of the LIE restrict its consideration of the Examiner in the First Office Action and eliminate consideration of any other claims on file in the file and of record.


Respectfully submitted,



Nigel L. Scott, Esquire
Patent Bar# 27,385
7306 Georgia Avenue, N.W.
Washington, D.C. 20012
(202) 882-5770
(202) 722-0040 Fax

CERTIFICATE OF SERVICE

I HEREBY CERTIFY that a copy of the foregoing Response to Notice of Non-Compliant Amendment was mailed, postage prepaid to the office of the LIE, United States Patent and Trademark Office, P.O. Box 1450, Alexandria, Va 22313-1450, this 11th day of May, 2005.



Nigel L. Scott, Esquire

ATTACHMENT

With respect to the above, the claims and amendment to the claims deemed pertinent to a review of the inconsistency between the actions of the Examiner and the Office of the LIE are attached below. Accordingly, it would be appreciated if the necessary corrective action is initiated to secure withdrawal of the action by the Office of the LIE and reinstatement of the application.

CLAIMS

What I claim is:

Claim 1.(Original) A bristle consisting of a base end, and a tip end connected to each other by means of a substantially rigid shaft portion wherein said substantially rigid shaft of said bristle has at least one shallow spiral groove along its longitudinal axis and wherein said substantially rigid shaft is sufficiently flexible so that said bristle will twist, bend and rotate on its axis when said base end of said bristle is held in a fixed position on a brush device and vertical and horizontal pressures applied to the tip of said bristle in a brushing motion such that the twisting, bending and rotating of said bristle upon the application of vertical and horizontal pressure on the tip of said bristle causes the tip of said bristle and said substantially rigid shaft of said bristle to become an abrasive device with respect to the surfaces to be cleaned and wherein said twisting, bending and rotating of said bristle increases with the application of increased pressure on the tip of said bristle.

Claim 2.(Original) The bristle as claimed in claim 1 wherein the cross-

sectional diameter of said spiral groove is approximately 10 to 15 percent of the cross-sectional diameter of said bristle and wherein said at least one spiral groove on said bristle runs either in a clockwise or counterclockwise direction and wherein on an individual bristle said at least one spiral groove run in clockwise or counterclockwise direction as desired, to facilitate the removal of plaque and other waste materials during the cleaning process.

Claim 3.(Original) A bristle as claimed in Claim 1 wherein said bristle has at least one spiral groove along said substantially rigid shaft and wherein said groove is of uniform diameter throughout the length of said substantially rigid shaft and wherein the ratio of the diameter of said bristle to the diameter of said spiral groove is approximately 4:1.

Claim 4.(Original) The bristle claimed in claim 10 wherein said bristle made of a plastic material and wherein said bristle is of such flexibility as to be capable of bending and rotating on an axis of thirty to ninety degrees when used in scrubbing or cleaning.

Claim 5.(Original) A bristle as claimed in claim 1 for use in toothbrushes said bristle consisting of a base end, and a tip end connected to each other by a substantially rigid shaft portion and wherein said base end of said bristle is maintained in a fixed position on the head of said toothbrush and wherein said substantially rigid shaft of said bristle has at least one shallow spiral groove along its longitudinal axis and wherein said bristle is capable of standing substantially rigid on

the head of said toothbrush but is sufficiently flexible so that said bristle will twist, bend and rotate on its axis, but remains substantially rigid when vertical and horizontal pressures are applied to the tip of said bristle during brushing and such that the twisting, bending and rotating of said bristle upon the application of vertical and horizontal pressure on the tip of said bristle causes the tip end of said bristle and substantially rigid shaft of said bristle to act as an abrasive device with respect to the surfaces to be cleaned, and wherein the twisting, bending and abrasiveness of said substantially rigid shaft causes said toothbrush to be a more effective cleanser and wherein the application of vertical and horizontal pressure in a back and forth scrubbing motion on the tip of said bristle causes said bristle to twist and rotate in the manner of an agitator of a washing machine, thereby producing fluid cross currents in the saliva and forces the saliva into the spaces in and around the teeth and gums and wherein the twisting and bending of said shaft of said bristle increases the contacts between said shaft of said bristle and the surface of the teeth and gums so that said groove on said shaft of said bristle acts as an abrasive device to remove foreign particles lodged between and around the teeth and gums.

Claim 6.(Original) A brush device for use in cleaning and scrubbing including a bristle receiving body portion having a plurality of substantially rigid bristles disposed therein and wherein said body portion of said device has a plurality of holes adapted for receiving said bristles and wherein said bristles are arranged in tufts of bristles and wherein each of said bristles has at least one spiral groove along

the longitudinal axis of said substantially rigid shaft of said bristle wherein the scrubbing action of said brush device causes said bristle to bend and twist about its axis and to agitate liquid substances which are present in the area to be cleaned and wherein the tips of said bristles and said substantially rigid shaft of said bristles act as cleaning surfaces and whereby said longitudinal axis having said spiral groove acts as an extended scraping device with respect to the surface to be cleaned.

Claim 7.(Original) A toothbrush having a head portion and a handle portion wherein said head portion has a plurality of holes adapted for receiving tufts of bristles in each hole and wherein each tuft consists of not less than ten bristles each of said bristles having at least one spiral groove along the longitudinal axis of said bristle and wherein upon the application of pressure to the tips of said bristles and use of a scrubbing action thereon said bristle bends and rotates and agitates saliva in the mouth and wherein said tips and said longitudinal axis of said bristles act as cleaning surfaces with respect to the teeth and gums and whereby said longitudinal axis having said spiral grooves acts as an extended scraping device for the removal of waste materials, including plaque, from the teeth and gums.

Claim 8.(Original) A brush device as claimed in claim 7 wherein said at least one spiral groove on said bristle runs either in a clockwise or counter clockwise direction and wherein on an individual bristle said at least one spiral groove runs clockwise or counterclockwise, only, and wherein said bristle when arranged in tufts of bristles said at least one spiral groove on said bristle comprising said tufts of

bristles all run in either a clockwise or counterclockwise direction.

CLAIMS

What I claim is:

Claim 1.(Withdrawn) [A bristle consisting of a base end, and a tip end connected to each other by means of a substantially rigid shaft portion wherein said substantially rigid shaft of said bristle has at least one shallow spiral groove along its longitudinal axis and wherein said substantially rigid shaft is sufficiently flexible so that said bristle will twist, bend and rotate on its axis when said base end of said bristle is held in a fixed position on a brush device and vertical and horizontal pressures applied to the tip of said bristle in a brushing motion such that the twisting, bending and rotating of said bristle upon the application of vertical and horizontal pressure on the tip of said bristle causes the tip of said bristle and said substantially rigid shaft of said bristle to become an abrasive device with respect to the surfaces to be cleaned and wherein said twisting, bending and rotating of said bristle increases with the application of increased pressure on the tip of said bristle.]

Claim 2.(Withdrawn) [The bristle as claimed in claim 1 wherein the cross-sectional diameter of said spiral groove is approximately 10 to 15 percent of the cross-sectional diameter of said bristle and wherein said at least one spiral groove on said bristle runs either in a clockwise or counterclockwise direction and wherein on an individual bristle said at least one spiral groove run in clockwise or counter-

clockwise direction as desired, to facilitate the removal of plaque and other waste materials during the cleaning process.]

Claim 3.(Withdrawn) [A bristle as claimed in Claim 1 wherein said bristle has at least one spiral groove along said substantially rigid shaft and wherein said groove is of uniform diameter throughout the length of said substantially rigid shaft and wherein the ratio of the diameter of said bristle to the diameter of said spiral groove is approximately 4:1.]

Claim 4.(Withdrawn) [The bristle claimed in claim 10 wherein said bristle made of a plastic material and wherein said bristle is of such flexibility as to be capable of bending and rotating on an axis of thirty to ninety degrees when used in scrubbing or cleaning.]

Claim 5.(Withdrawn) [A bristle as claimed in claim 1 for use in toothbrushes said bristle consisting of a base end, and a tip end connected to each other by a substantially rigid shaft portion and wherein said base end of said bristle is maintained in a fixed position on the head of said toothbrush and wherein said substantially rigid shaft of said bristle has at least one shallow spiral groove along its longitudinal axis and wherein said bristle is capable of standing substantially rigid on the head of said toothbrush but is sufficiently flexible so that said bristle will twist, bend and rotate on its axis, but remains substantially rigid when vertical and horizontal pressures are applied to the tip of said bristle during brushing and such that the twisting, bending and rotating of said bristle upon the application of vertical and

horizontal pressure on the tip of said bristle causes the tip end of said bristle and substantially rigid shaft of said bristle to act as an abrasive device with respect to the surfaces to be cleaned, and wherein the twisting, bending and abrasiveness of said substantially rigid shaft causes said toothbrush to be a more effective cleanser and wherein the application of vertical and horizontal pressure in a back and forth scrubbing motion on the tip of said bristle causes said bristle to twist and rotate in the manner of an agitator of a washing machine, thereby producing fluid cross currents in the saliva and forces the saliva into the spaces in and around the teeth and gums and wherein the twisting and bending of said shaft of said bristle increases the contacts between said shaft of said bristle and the surface of the teeth and gums so that said groove on said shaft of said bristle acts as an abrasive device to remove foreign particles lodged between and around the teeth and gums.]

Claim 6.(Allowed) A brush device for use in cleaning and scrubbing including a bristle receiving body portion having a plurality of substantially rigid bristles disposed therein and wherein said body portion of said device has a plurality of holes adapted for receiving said bristles and wherein said bristles are arranged in tufts of bristles and wherein each of said bristles has at least one spiral groove along the longitudinal axis of said substantially rigid shaft of said bristle wherein the scrubbing action of said brush device causes said bristle to bend and twist about its axis and to agitate liquid substances which are present in the area to be cleaned and wherein the tips of said bristles and said substantially rigid shaft of said bristles act as

cleaning surfaces and whereby said longitudinal axis having said spiral groove acts as an extended scraping device with respect to the surface to be cleaned.

Claim 7.(Allowed) A toothbrush having a head portion and a handle portion wherein said head portion has a plurality of holes adapted for receiving tufts of bristles in each hole and wherein each tuft consists of not less than ten bristles each of said bristles having at least one spiral groove along the longitudinal axis of said bristle and wherein upon the application of pressure to the tips of said bristles and use of a scrubbing action thereon said bristle bends and rotates and agitates saliva in the mouth and wherein said tips and said longitudinal axis of said bristles act as cleaning surfaces with respect to the teeth and gums and whereby said longitudinal axis having said spiral grooves acts as an extended scraping device for the removal of waste materials, including plaque, from the teeth and gums.

Claim 8.(Cancelled) [A brush device as claimed in claim 7 wherein said at least one spiral groove on said bristle runs either in a clockwise or counter clockwise direction and wherein on an individual bristle said at least one spiral groove runs clockwise or counterclockwise, only, and wherein said bristle when arranged in tufts of bristles said at least one spiral groove on said bristle comprising said tufts of bristles all run in either a clockwise or counterclockwise direction.]

Claim 9.(New) – – The tooth brush as claimed in claim 7 wherein each tuft of bristles consists of not less than ten bristles and wherein each of said bristles has one spiral groove along the longitudinal axis thereof and wherein said spiral groove on

said bristle in an individual tuft of bristles is identical to said spiral groove on all of said bristles in said tuft of bristles and wherein said spiral groove on each of said bristles in said tuft has a clockwise or counter clockwise spiral on said bristle. — —

CLEAN COPY OF CLAIMS

Claim 6.(Allowed) A brush device for use in cleaning and scrubbing including a bristle receiving body portion having a plurality of substantially rigid bristles disposed therein and wherein said body portion of said device has a plurality of holes adapted for receiving said bristles and wherein said bristles are arranged in tufts of bristles and wherein each of said bristles has at least one spiral groove along the longitudinal axis of said substantially rigid shaft of said bristle wherein the scrubbing action of said brush device causes said bristle to bend and twist about its axis and to agitate liquid substances which are present in the area to be cleaned and wherein the tips of said bristles and said substantially rigid shaft of said bristles act as cleaning surfaces and whereby said longitudinal axis having said spiral groove acts as an extended scraping device with respect to the surface to be cleaned.

Claim 7.(Allowed) A toothbrush having a head portion and a handle portion wherein said head portion has a plurality of holes adapted for receiving tufts of bristles in each hole and wherein each tuft consists of not less than ten bristles each of said bristles having at least one spiral groove along the longitudinal axis of said bristle and wherein upon the application of pressure to the tips of said bristles and use of a

scrubbing action thereon said bristle bends and rotates and agitates saliva in the mouth and wherein said tips and said longitudinal axis of said bristles act as cleaning surfaces with respect to the teeth and gums and whereby said longitudinal axis having said spiral grooves acts as an extended scraping device for the removal of waste materials, including plaque, from the teeth and gums.

Claim 9.(New) The tooth brush as claimed in claim 7 wherein each tuft of bristles consists of not less than ten bristles and wherein each of said bristles has one spiral groove along the longitudinal axis thereof and wherein said spiral groove on said bristle in an individual tuft of bristles is identical to said spiral groove on all of said bristles in said tuft of bristles and wherein said spiral groove on each of said bristles in said tuft has a clockwise or counter clockwise spiral on said bristle.

REMARKS


As a result of the latest action by the office of the LIE, the subject invention was abandoned by the Examiner. Applicant has moved to have the application reinstated and has corrected the Amendment in accordance with the requirement of the office of the LIE.

In particular, Applicant has identified the individual claims, as required by the Office of the LIE. However, Applicant has only dealt with the eight (8) claims examined by the Examiner in the Office Action. As such, Applicant believes that all claims which need to be addressed to bring the application in line with the Office Action have been addressed. In particular, Applicant has not included or referenced

the eleven (11) claims mentioned in the Notice of Non-Compliant amendment since these were never examined.

Accoedingly, Applicant requests that the Office of the LIE remove its objections to the Amendment filed in connection with the matter.

Respectfully submitted,

A handwritten signature in black ink, appearing to read 'Nigel L. Scott', with a stylized, cursive flourish extending to the right.

Nigel L. Scott